INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 3, 1963

SUBJECT INDEX

Aluminum at Elevated Temperatures, Compression-impact Testing of—J. L. CHIDDISTER and L. E. MALVERN, 81–90 (April).

Application of Birefringent Coating to the Study of Strains Around Circular Inclusions in Mortar Prisms—R. M. STEPHEN and D. PIRTZ, 91–97 (April).

Arc Hyperbolic Sine Creep Theory Applied to Torsion-tension Member of Circular Cross Section—S. DHARMARAJAN and O. M. SIDEBOTTOM, 153–160 (July).

Biaxial Loading, Simulated, Ultimate Strength of Grooved Flat Bars for—R. E. ELY, 152 (June).

Birefringent Plastics, Concerning the Double Nature of—J. JAVORNICKÝ, 175–176 (July).

Birefringent-coating Analysis of Laterally Loaded Perforated Plates—D. J. BYNUM and M. M. LEMCOE, 140–[illegible] (June).

Birefringent Coating, Application of, to the Study of Strains Around Circular Inclusions in Mortar Prisms, –R. M. STEPHEN and D. PIRTZ, 91–97 (April).

Buckling of Cylindrical Shells Under Combined Torsion and Hydrostatic Pressure—R. E. EKSTROM, 192–197 (Aug.).

Bulk Moduli from Uniaxial Compliance Measurements—C. C. SURLAND, 112–118 (May).

Combined Photoelastic and Electrical-analog Method for Solution of Plane-stress Plasticity Problems—P. S. THEOCARIS, 207–214 (Sept.).

Comparison of Static and Dynamic Properties of Photoelastic Materials, A—A. B. J. CLARK and R. J. SANFORD, 148–151 (June).

Compliance Measurements, Uniaxial, Bulk Moduli from—C. C. SURLAND, 112–118 (May).

Compression-impact Testing of Aluminum at Elevated Temperatures—J. L. CHIDDISTER and L. E. MALVERN, 81–90 (April).

Concerning the Double Nature of Birefringence in Plastics—J. JAVORNICKÝ, 175–176 (July).

Concerning Strain-gage Measurement of Creep of Plastics—W. N. FINDLEY and R. M. REED, 29–32 (Jan.).

Conducting-sheet Analogy for Stress Concentrations in Twisted Structural Sections—C. W. BEADLE and H. D. CONWAY, 198–200 (Aug.).

Construction and Evaluation of a Three-dimensional Strain Rosette—W. E. BAKER and R. C. DOVE, 201–206 (Sept.).

Couple-stresses on Stress Concentrations, Influence of—R. D. MINDLIN, 1–7 (Jan.). Discussion—C. W. BERT, 307–308 (Dec.).

Creep of Plastics, Concerning Strain-gage Measurement of—W. N. FINDLEY and R. M. REED, 29–32 (Jan.).

Creep Theory, Arc Hyperbolic Sine, Applied to Torsion-tension Member of Circular Cross Section—S. DHARMARAJAN and O. M. SIDEBOTTOM, 153–160 (July).

Cryogenic Temperatures, Investigation of Strain Gages for Use at—A. KAUFMAN, 177–183 (Aug.).

Cyclic-stress Reduction Within Pin-loaded Lugs Resulting from Optimum Interference Fits—S. J. LIGENZA, 21–28 (Jan.). Discussion—G. S. HOLISTER, 222–224 (Sept.).

Cylindrical Shells Under Combined Torsion and Hydrostatic Pressure, Buckling of—R. E. EKSTROM, 192–197 (Aug.).

Determination of Curvatures in Flexed Elastic Plates by the Martinelli-Ronchi Technique—J. P. DUNCAN and P. G. SABIN, 285–293 (Dec.).

Development of an Apparatus for Fatigue Testing in Vacuum—R. P. FELGAR, 269–274 (Nov.).

Dimensionless Inelastic Bending Relationships—R. CHIPMAN, 41–46 (Feb.).

Ductile Structures Under Repeated Loads, Some Preliminary Experiments on the Behavior of—A. N. SHERBOURNE, 119–128 (May).

Effects of Pressure on Small Foil Strain Gages—J. C. Gerdeen, 73–80 (March).

Elastomeric Embedment, A Strain Gage for—L. J. WEYMOUTH, 19A–22A (March).*

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN.

Electrical-analog Method for Solution of Plane-stress Plasticity Problems, Combined Photoelastic and—P. S. THEOCARIS, 207–214 (Sept.).

Enrico Fermi Shield-plug Response to a 1000-lb TNT Accident—W. R. WISE, JR., J. F. PROCTOR and L. P. WALKER, 245–252 (Oct.).

Experimental Investigation of the Fatigue Behavior of Thread-type Projections—R. E. WEIGLE, R. R. LASSELLE and J. P. PURTEL, 105–111 (May).

Experimental Stress Analysis of Nuclear-reactor Pressure Vessel—B. L. GREENSTREET, F. J. WITT, J. E. SMITH, R. L. MAXWELL and L. R. SHOBE, 129–139 (June).

Experimental Techniques Employed by Photoelastic Analysis of Cellular Shells—G. U. OPPEL and H. A PETERSON, 184–191 (Aug.)

Experimental Techniques and Fixture Design Related to Steam-turbine Blade Frequency Measurements—T. VUKSTA, JR., 161–167 (July).

Fatigue Behavior of Thread-type Projections, Experimental Investigation of the—R. E. WEIGLE, R. R. LASSELLE and J. P. PURTEL, 105–111 (May).

Fatigue Testing in Vacuum, Development of an Apparatus for—R. P. FELGAR, 269–274 (Nov.).

Fatigue Test, Test Methods and Equipment—Model KC-135 Airplane Wing—C. E. KUTZ, JR., 168–172 (July).

Field Instrumentation, Mobile—J. F. ARNDT and R. A. KUEHL, 19A–25A (May).*

Fracture-arrest Capabilities of Annularly Reinforced Cylindrical Pressure Vessels—J. I. BLUHM and M. M. MARDIROSIAN, 57–66 (March). Sequel—305–306 (Dec.).

Inelastic Bending Relationships, Dimensionless—R CHIPMAN, 41–46 (Feb.).

Influence of Couple - stresses on Stress Concentrations—R. D. MINDLIN, 1–7 (Jan.). Discussion—C. W. BERT, 307–308 (Dec.).

Interpretation of Surface-strain Measurements in Terms of Finite Homogeneous Strains—M. L. MEYER, 294–301 (Dec.).

Investigation of Strain Gages for Use at Cryogenic Temperatures—A. KAUFMAN, 177–183 (Aug.).

Low-cost Techniques for Stress Analysis of Solid-rocket Cases—B. R. ANDERSON, 14–20 (Jan.).

Martinelli-Ronchi Technique, Determination of Curvatures in Flexed Elastic Plates by the—J. P. DUNCAN and P. G. SABIN, 285–293 (Dec.).

Measurement of Particle Velocities Associated with Waves Propagating in Bars—E. A. RIPPERGER and L. M. YEAKLEY, 47–56 (Feb.).

Method for Determining Integral Fringe Orders in Photoelastic Analysis, A—B. PANT, 173–174 (July).

Mobile Field Instrumentation—J. F. ARNDT and R. A. KUEHL, 19A–25A (May).*

New Method to Determine Restrained-shrinkage Stresses in Propellant-grain Models—A. J. DURELLI and V. J. PARKS, 263–268 (Nov.).

New Oblique-incidence Method for Direct Photoelastic Measurement of Principal Strains—S. S. REDNER, 67–72 (March).

Nuclear-reactor Pressure Vessel, Experimental Stress Analysis of—B. L. GREENSTREET, F. J. WITT, J. E. SMITH, R. L. MAXWELL and L. R. SHOBE, 129–139 (June).

Oblique-incidence Method for Direct Photelastic Measurement of Principal Strains, New—S. S. REDNER, 67–72 (March).

Particle Velocities Associated with Waves Propagating in Bars, Measurement of—E. A. RIPPERGER and L. M. YEAKLEY, 47–56 (Feb.).

Perforated Plates, Laterally Loaded, Birefringent-coating Analysis of—D. J. BYNUM and M. M. LEMCOE, 140–147 (June).

Photoelastic Analysis of Cellular Shells, Experimental Techniques Employed by—G. U. OPPEL and H. A. PETERSON, 184–191 (Aug.).

Photoelastic Analysis, A Method for Determining Integral Fringe Orders in—B. PANT, 173–174 (July).

Photoelastic and Electrical-analog Method, Combined, for Solution of Plane-stress Plasticity Problems—P. S. THEOCARIS, 207–214 (Sept.).

Photoelastic-coating Analysis in Thermal Fields—F. ZANDMAN, S. S. REDNER and D. POST, 215–221 (Sept.).

Photoelasticity in the Soviet Union and Democratic Republics: A Brief Review—F. ZANDMAN, 19A–25A (Feb.).*

Photoelasticity, Some New Techniques for Scattered-light—Y. F. CHENG, 275–278 (Nov.).

Photoelastic Materials, A Comparison of Static and Dynamic Properties of—A. B. J. CLARK and R. J. SANFORD, 148–151 (June).

Photoelastic Method, Three-dimensional, for Analysis of Differential-contraction Stresses—R. C. SAMPSON, 225 – 234 (Oct.). Discussion — A. J. DURELLI, 235–237 (Oct.).

Photoelastic Studies of the Two-dimensional Dynamic Stress-optic Law—H. PIH, 33–40 (Feb.).

Pin-loaded Lugs Resulting from Optimum Interference Fits, Cyclic-stress Reduction Within—S. J. LIGENZA, 21 – 28 (Jan.). Discussion — G. S. HOLISTER, 222–224 (Sept.).

Plastics, Concerning the Double Nature of Birefringence in—J. JAVORNICKÝ, 175–176 (July).

Plastics, Creep of, Concerning Strain-gage Measurement of—W. N. FINDLEY and R. M. REED, 29–32 (Jan.).

Potentiometer, Solid-state—A. R. ZIAS, C. W. CLAPP, D. J. DEMICHELE, P. R. EMTAGE, D. K. HARTMAN, J. W. SAVERY and R. C. THOMAS, 19A–24A (Sept.).*

Pressure Vessels, Annularly Reinforced Cylindrical, Fracture-arrest Capabilities of—J. I. BLUHM and M. M. MARDIROSIAN, 57–66 (March). Sequel—305–306 (Dec.).

Pressure Vessel, Nuclear-reactor, Experimental Stress Analysis of—B. L. GREENSTREET, F. J. WITT, J. E. SMITH, R. L. MAXWELL and L. R. SHOBE, 129–139 (June).

Propellant-grain Models, New Method to Determine Restrained-shrinkage Stresses in—A. J. DURELLI and V. J. PARKS, 263–268 (Nov.).

Residual Stresses in Thick-walled Cylinders Resulting from Mechanically Induced Overstrain—T. E. DAVIDSON, D. P. KENDALL and A. N. REINER, 253–262 (Nov.).

Shear-stress Measurements "In Situ" of Soils Subjected to Vibratory Loads—R. K. BERNHARD, 98–104 (April). (Errata-176, July).

Shells, Cellular, Experimental Techniques Employed by Photoelastic Analysis of—G. U. OPPEL and H. A. PETERSON, 184–191 (Aug.).

Shield-plug Response to a 1000-lb TNT Accident, Enrico Fermi—W. R. WISE, JR., J. F. PROCTOR and L. P. WALKER, 245–252 (Oct.).

Soils Subjected to Vibratory Loads, Shear-stress Measurements "In Situ" of—R. K. BERNHARD, 98–104, (April). (Errata-176, July).

Solid-rocket Cases, Low-cost Techniques for Stress Analysis of—B. R. ANDERSON, 14–20 (Jan.).

Solid-state Potentiometer—A. R. ZIAS, C. W. CLAPP, D. J. DEMICHELE, P. R. EMTAGE, D. K. HARTMAN, J. W. SAVERY and R. C. THOMAS, 19A–24A (Sept.).*

Solution of Rectangular Strain Rosettes by Vectorial-layout Method—M. C. MUCUOGLU, 302–304 (Dec.).

Some New Techniques for Scattered-light Photoelasticity—Y. F. CHENG, 275–278 (Nov.).

Some Preliminary Experiments on the Behavior of Ductile Structures Under Repeated Loads—A. N. SHERBOURNE, 119–128 (May).

Soviet Union and Democratic Republics: A Brief Review, Photoelasticity in the—F. ZANDMAN, 19A–25A (Feb.).*

Space-vehicle Heat Shields, Structural Testing Applied to Engineering Design of Re-entering—W. C. BRODING and ALDIE E. JOHNSON, JR., 238–244 (Oct.).

Steam-turbine Blade Frequency Measurements, Experimental Techniques and Fixture Design Related to—T. VUKSTA, JR., 161–167 (July).

Strain Gage for Elastomeric Embedment, A—L. J. WEYMOUTH, 19A–22A (March).*

Strain-gage Measurement of Creep of Plastics, Concerning—W. N. FINDLEY and R. M. REED, 29–32 (Jan.).

Strain Gages for Use at Cryogenic Temperatures, Investigation of—A. KAUFMAN, 177–183 (Aug.).

Strain Gages, Small Foil, Effects of Pressure on—J. C. GERDEEN, 73–80 (March).

Strain Rosette, Three-dimensional, Construction and Evaluation of—W. E. BAKER and R. C. DOVE, 201–206 (Sept.).

Strains Around Circular Inclusions in Mortar Prisms, Application of Birefringent Coating to the Study of—R. M. STEPHEN and D. PIRTZ, 91–97 (April).

Stress Analysis, Experimental, of Nuclear-reactor Pressure Vessel—B. L. GREENSTREET, F. J. WITT, J. E. SMITH, R. L. MAXWELL and L. R. SHOBE, 129–139 (June).

Stress Analysis of Solid-rocket Cases, Low-cost Techniques for—B. R. ANDERSON, 14–20 (Jan.).

Stress Concentrations in Twisted Structural Sections, Conducting-sheet Analogy for—C. W. BEADLE and H. D. CONWAY, 198–200 (Aug.).

Stresses, Differential-contraction, A Three-dimensional Photoelastic Method for Analysis of—R. C. SAMPSON, 225–234 (Oct.). Discussion—A. J. DURELLI, 235–237 (Oct.).

Stress-optic Law, Two-dimensional Dynamic, Photoelastic Studies of the—H. PIH, 33–40 (Feb.).

Structural Sections, Twisted, Conducting-sheet Analogy for Stress Concentrations in—C. W. BEADLE and H. D. CONWAY, 198–200 (Aug.).

Structural Testing Applied to Engineering Design of Re-entering Space-vehicle Heat Shields—W. C. BRODING and ALDIE E. JOHNSON, JR., 238–244 (Oct.).

Structural Test of Hand-built Tower—N. J. GOLDSTONE, 8–13 (Jan.).

Surface-strain Measurements in Terms of Finite Homogeneous Strains, Interpretation of—M. L. MEYER, 294–301 (Dec.).

Test Methods and Equipment—Model KC-135 Airplane Wing Fatigue Test—C. E. KUTZ, Jr., 168–172 (July).

Thermal Fields, Photoelastic-coating Analysis in—F. ZANDMAN, S. S. REDNER and D. POST, 215–221 (Sept.).

Thread-type Projections, Experimental Investigations of the Fatigue Behavior of—R. E. WEIGLE, R. R. LASSELLE and J. P. PURTEL, 105–111 (May).

Three-dimensional Photoelastic Method for Analysis of Differential-contraction Stresses, A—R. C. SAMPSON, 225–234 (Oct.). Discussion—A. J. DURELLI, 235–237 (Oct.).

Torsion Problem—A New Twist, The—J. H. SWANNELL, 279–284 (Nov.).

Torsion-tension Member of Circular Cross Section, Arc Hyperbolic Sine Creep Theory Applied to—S. DHARMARAJAN and O. M. SIDEBOTTOM, 153–160 (July).

Ultimate Strength of Grooved, Flat Bars for Simulated Biaxial Loading—R. E. ELY, 152 (June).

Uniaxial Compliance Measurements, Bulk Moduli from—C. C. SURLAND, 112–118 (May).

Vectorial-layout Method, Solution of Rectangular Strain Rosettes by—M. C. MUCUOGLU, 302–304 (Dec.).

Vibratory Loads, Shear-stress Measurements "In Situ" of Soils Subject to—R. K. BERNHARD, 98–104 (April). (Errata-176, July).

AUTHOR INDEX

ANDERSON, B. R.—Low-cost Techniques for Stress Analysis of Solid-rocket Cases, 14–20 (Jan.).

ARNDT, J. F.—Mobile Field Instrumentation, 19A–25A (May).*

BAKER, W. E.—Construction and Evaluation of a Three-dimensional Strain Rosette, 201–206 (Sept.).

BEADLE, C. W.—Conducting-sheet Analogy for Stress Concentrations in Twisted Structural Sections, 198–200 (Aug.).

BERNHARD, R. K.—Shear-stress Measurements "In Situ" of Soils Subjected to Vibratory Loads, 98–104 (April). (Errata-176, July).

BERT, C. W.—Discussion of Influence of Couple Stresses on Stress Concentrations, 307–308 (Dec.).

BLUHM, J. I.—Fracture-arrest Capabilities of Annularly Reinforced Cylindrical Pressure Vessels, 57–66 (March). Sequel—305–306 (Dec.).

BRODING, W. C.—Structural Testing Applied to Engineering Design of Re-entering Space-vehicle Heat Shields, 238–244 (Oct.).

BYNUM, D. J.—Birefringent-coating Analysis of Laterally Loaded Perforated Plates, 140–147 (June).

CHENG, Y. F.—Some New Techniques for Scattered-light Photoelasticity, 275–278 (Nov.).

CHIDDISTER, J. L.—Compression-impact Testing of Aluminum at Elevated Temperatures, 81–90 (April).

CHIPMAN, R.—Dimensionless Inelastic Bending Relationships, 41–46 (Feb.).

CLAPP, C. W.—Solid-state Potentiometer, 19A–24A (Sept.).*

CLARK, A. B. J.—Comparison of Static and Dynamic Properties of Photoelastic Materials, A, 148–151 (June).

CONWAY, H. D.—Conducting-sheet Analogy for Stress Concentrations in Twisted Structural Sections, 198–200 (Aug.).

DAVIDSON, T. E.—Residual Stresses in Thick-walled Cylinders Resulting from Mechanically Induced Overstrain, 253–262 (Nov.).

DEMICHELE, D. J.—Solid-state Potentiometer, 19A–24A (Sept.).*

DHARMARAJAN, S.—Arc Hyperbolic Sine Creep Theory Applied to Torsion-tension Member of Circular Cross Section, 153–160 (July).

DOVE, R. C.—Construction and Evaluation of a Three-dimensional Strain Rosette, 201–206 (Sept.).

DUNCAN, J. P.—Determination of Curvatures in Flexed Elastic Plates by the Martinelli-Ronchi Technique, 285–293 (Dec.).

DURELLI, A. J.—Discussion of a Three-dimensional Photoelastic Method for Analysis of Differential-contraction Stresses, 235–237 (Oct.).

New Method to Determine Restrained-shrinkage Stresses in Propellant-grain Models, 263–268 (Nov.).

EKSTROM, R. E.—Buckling of Cylindrical Shells Under Combined Torsion and Hydrostatic Pressure, 192–197 (Aug.).

ELY, R. E.—Ultimate Strength of Grooved, Flat Bars for Simulated Biaxial Loading, 152 (June).

EMTAGE, P. R.—Solid-state Potentiometer, 19A-24A (Sept.).*

FELGAR, R. P.—Development of an Apparatus for Fatigue Testing in Vacuum, 269–274 (Nov.).

FINDLEY, W. N.—Concerning Strain-gage Measurement of Creep of Plastics, 29–32 (Jan.).

GERDEEN, J. C.—Effects of Pressure on Small Foil Strain Gages, 73–80 (March).

GOLDSTONE, N. J.—Structural Test of Hand-built Tower, 8–13 (Jan.).

GREENSTREET, B. L.—Experimental Stress Analysis of Nuclear-reactor Pressure Vessel, 129–139 (June).

HARTMAN, D. K.—Solid-state Potentiometer, 19A–24A (Sept.).*

HOLISTER, G. S.—Discussion of Cyclic-stress Reduction Within Pin-loaded Lugs Resulting from Optimum Interference Fits, 222–224 (Sept.).

JAVORNICKÝ, J.—Concerning the Double Nature of Birefringence in Plastics, 175–176 (July).

JOHNSON, JR., ALDIE E.—Structural Testing Applied to Engineering Design of Re-entering Space-vehicle Heat Shields, 238–244 (Oct.).

KAUFMAN, A.—Investigation of Strain Gages for Use at Cryogenic Temperatures, 177–183 (Aug.).

KENDALL, D. P.—Residual Stresses in Thick-walled Cylinders Resulting from Mechanically Induced Overstrain, 253–262 (Nov.).

KUEHL, R. A.—Mobile Field Instrumentation, 19A–25A (May).*

KUTZ, JR., C. E.—Test Methods and Equipment—Model KC-135 Airplane Wing Fatigue Test, 168–172 (July).

LASSELLE, R. R.—Experimental Investigation of the Fatigue Behavior of Thread-type Projections, 105–111 (May).

LEMCOE, M. M.—Birefringent-coating Analysis of Laterally Loaded Perforated Plates, 140–147 (June).

LIGENZA, S. J.—Cyclic-stress Reduction Within Pin-loaded Lugs Resulting from Optimum Interference Fits, 21–28 (Jan.). Discussion—G. S. HOLISTER, 222–224 (Sept.).

MALVERN, L. E.—Compression-impact Testing of Aluminum at Elevated Temperatures, 81–90 (April).

MARDIROSIAN, M. M.—Fracture-arrest Capabilities of Annularly Reinforced Cylindrical Pressure Vessels, 57–66 (March). Sequel—305–306 (Dec.).

MAXWELL, R. L.—Experimental Stress Analysis of Nuclear-reactor Pressure Vessel, 129–139 (June).

MEYER, M. L.—Interpretation of Surface-strain Measurements in Terms of Finite Homogeneous Strains, 294–301 (Dec.).

MINDLIN, R. D.—Influence of Couple-stresses on Stress Concentrations, 1–7 (Jan.). Discussion—C. W. BERT, 307–308 (Dec.).

MUCUOGLU, M. C.—Solution of Rectangular Strain Rosettes by Vectorial-layout Method, 302–304 (Dec.).

OPPEL, G. U.—Experimental Techniques Employed by Photoelastic Analysis of Cellular Shells, 184–191 (Aug.).

PANT, B.—A Method for Determining Integral Fringe Orders in Photoelastic Analysis, 173–174 (July).

PARKS, V. J.—New Method to Determine Restrained-shrinkage Stresses in Propellant-grain Models 263–268 (Nov.).

PETERSON, H. A.—Experimental Techniques Employed by Photoelastic Analysis of Cellular Shells, 184–191 (Aug.).

PIH, H.—Photoelastic Studies of the Two-dimensional Dynamic Stress-optic Law, 33–40 (Feb.).

PIRTZ, D.—Application of Birefringent Coating to the Study of Strains Around Circular Inclusions in Mortar Prisms, 91–97 (April).

POST, D.—Photoelastic-coating Analysis in Thermal Fields, 215–221 (Sept.).

PROCTOR, J. F.—Enrico Fermi Shield-plug Response to a 1000-lb TNT Accident, 245–252 (Oct.).

PURTEL, J. P.—Experimental Investigation of the Fatigue Behavior of Thread-type Projections, 105–111 (May).

REDNER, S. S.—Photoelastic-coating Analysis in Thermal Fields, 215–221 (Sept.).

New Oblique-incidence Method for Direct Photoelastic Measurement of Principal Strains, 67–72 (March).

REED, R. M.—Concerning Strain-gage Measurement of Creep of Plastics, 29–32 (Jan.).

REINER, A. N.—Residual Stresses in Thick-walled Cylinders Resulting from Mechanically Induced Overstrain, 253–262 (Nov.).

RIPPERGER, E. A.—Measurement of Particle Velocities Associated with Waves Propagating in Bars, 47–56 (Feb.).

SABIN, P. G.—Determination of Curvatures in Flexed Elastic Plates by the Martinelli-Ronchi Technique, 285–293 (Dec.).

SAMPSON, R. C.—A Three-dimensional Photoelastic Method for Analysis of Differential-contraction Stresses, 225 – 234 (Oct.). Discussion — A. J. DURELLI, 235–237 (Oct.).

SANFORD, R. J.—Comparison of Static and Dynamic Properties of Photoelastic Materials, A, 148–151 (June).

SAVERY, J. W.—Solid-state Potentiometer, 19A–24A (Sept.).*

SHERBOURNE, A. N.—Some Preliminary Experiments on the Behavior of Ductile Structures Under Repeated Loads, 119–128 (May).

SHOBE, L. R.—Experimental Stress Analysis of Nuclear-reactor Pressure Vessel, 129–139 (June).

SIDEBOTTOM, O. M.—Arc Hyperbolic Sine Creep Theory Applied to Torsion-tension Member of Circular Cross Section, 153–160 (July).

SMITH, J. E.—Experimental Stress Analysis of Nuclear-reactor Pressure Vessel, 129–139 (June).

STEPHEN, R. M.—Application of Birefringent Coating to the Study of Strains Around Circular Inclusions in Mortar Prisms, 91–97 (April).

SURLAND, C. C.—Bulk Moduli from Uniaxial Compliance Measurements, 112–118 (May).

SWANNELL, J. H.—The Torsion Problem—A New Twist, 279–284 (Nov.).

THEOCARIS, P. S.—Combined Photoelastic and Electrical-analog Method for Solution of Plane-stress Plasticity Problems, 207–214 (Sept.).

THOMAS, R. C.—Solid-state Potentiometer, 19A–24A (Sept.).*

VUKSTA, JR., T.—Experimental Techniques and Fixture Design Related to Steam-turbine Blade Frequency Measurements, 161–167 (July).

WALKER, L. P.—Enrico Fermi Shield-plug Response to a 1000-lb TNT Accident, 245–252 (Oct.).

WEIGLE, R. E.—Experimental Investigation of the Fatigue Behavior of Thread-type Projections, 105–111 (May).

WEYMOUTH, L. J.—Strain Gage for Elastomeric Embedment, A, 19A–22A (March).*

WISE, JR., W. R.—Enrico Fermi Shield-plug Response to a 1000-lb TNT Accident, 245–252 (Oct.).

WITT, F. J.—Experimental Stress Analysis of Nuclear-reactor Pressure Vessel, 129–139 (June).

YEAKLEY, L. M.—Measurement of Particle Velocities Associated with Waves Propagating in Bars, 47–56 (Feb.).

ZANDMAN, F.—Photoelastic-coating Analysis in Thermal Fields, 215–221 (Sept.).

Photoelasticity in the Soviety Union and Democratic Republics: A Brief Review, 19A–25A (Feb.).†

ZIAS, A. R.—Solid-state Potentiometer, 19–24A (Sept.).*

* *Practical Applications*

† *Field Report*

For details, circle No. 3 on Reader Information Card →